


RoHS




USB TYPE-C PIN ASSIGNMENTS

PIN	NUMBER	SIGNAL	NAME
	A1		GND
	A4		VBUS
	A5		CC1
	A6		Dp1
	A7		Dn1
	A9		VBUS
	A12		GND

PIN	NUMBER	SIGNAL	NAME
	B12		GND
	B9		VBUS
	B7		Dn2
	B6		Dp2
	B5		CC2
	B4		VBUS
	B1		GND

REV.	REVISION RECORD	DATE		GENERAL TOLERANCES		SCALE: 1:1	NAME	DATE	PART.NO: WLT2F9-141XX0055	DWG.NO: ENDE05	 WanLian Teconology Co., Ltd	REV: A0	SHEET: 2/3
A0	NEW RELEASE	21.11.17		LINEAR	ANGLES	APPROVED	Wang_jr	21.11.17					
				0.0±0.35	X*REF±6°	DESIGNER	Han_Gao	21.11.17	TITLE: TYPE C 14P/F Flag Type DIP				
				UNIT:mm	0.00±0.25	X*±3°							
				SIZE: A4	0.000±0.10	X*X' ±2°	DRAWN	Zijun_Huang		21.11.17			



	TRAY	CARTON
CONNECTOR (PCS)	170	6800

REV.	REVISION RECORD	DATE		GENERAL TOLERANCES		SCALE: 1:1	NAME	DATE	PART.NO: WLT2F9-141XX0055	DWG.NO: ENDE05	 WanLian Teconology Co., Ltd	
A0	NEW RELEASE	21.11.17		LINEAR	ANGLES	APPROVED	Wang_jr	21.11.17				
				0.0±0.35	X*REF±6°	DESIGNER	Han_Gao	21.11.17	TITLE: TYPE C 14P/F Flag Type DIP			
				UNIT:mm	0.00±0.25	X°±3°	DRAWN	Zijun_Huang				
				SIZE: A4	0.000±0.10	X°X' ±2°				REV: A0	SHEET: 3/3	