



$$\text{RoHS} + \text{HF}$$


C4201 W 9 1-2 XX 1 X X 3  
 SERIES NO: \_\_\_\_\_  
 CONNECTOR: \_\_\_\_\_  
 W-WAFER  
 ANGLE: \_\_\_\_\_  
 9-90°  
 TYPE: \_\_\_\_\_  
 1-TYPE 1  
 ROW NO: \_\_\_\_\_  
 2-DOUBLE ROW  
 PIN Q'PY: \_\_\_\_\_  
 02~24  
 HOUSING:  
 3-LCP,UL94V-0  
 COLOR:  
 A-BLACK  
 S-NATURE  
 PLATING:  
 C-BRIGHE TIN  
 TERMPOINT:  
 1-DIP




| Circuit | Dimensions (mm) |       | Circuit | Dimensions (mm) |       |
|---------|-----------------|-------|---------|-----------------|-------|
|         | A               | B     |         | A               | B     |
| 2*01    | ---             | 5.40  | 2*07    | 25.20           | 30.60 |
| 2*02    | 4.20            | 9.60  | 2*08    | 29.40           | 34.80 |
| 2*03    | 8.40            | 13.80 | 2*09    | 33.60           | 39.00 |
| 2*04    | 12.60           | 18.00 | 2*10    | 37.80           | 43.20 |
| 2*05    | 16.80           | 22.20 | 2*11    | 42.00           | 47.40 |
| 2*06    | 21.00           | 26.40 | 2*12    | 46.20           | 51.60 |

|      |                 |          |         |                    |            |               |         |          |                                            |                   |                                 |            |
|------|-----------------|----------|---------|--------------------|------------|---------------|---------|----------|--------------------------------------------|-------------------|---------------------------------|------------|
| REV. | REVISION RECORD | DATE     |         | GENERAL TOLERANCES |            | SCALE:<br>1:1 | NAME    | DATE     | PART.NO:<br>C4201W91-2XX1XX3               | DWG.NO:<br>ENDE05 | <br>WanLian Technology Co., Ltd |            |
| AO   | NEW RELEASE     | 23.09.08 |         | LINEAR             | ANGLES     | APPROVED      | Wang_jr | 23.09.08 |                                            |                   |                                 |            |
|      |                 |          |         | 0.0±0.35           | X*REF±6°   |               |         |          |                                            |                   |                                 |            |
|      |                 |          | UNIT:mm | 0.00±0.25          | X*±3°      | DESIGNER      | Han_Gao | 23.09.08 | TITLE:<br>Pitch 4.2mm 双排 90° DIP Wafer 实心针 |                   |                                 |            |
|      |                 |          |         | SIZE: A4           | 0.000±0.10 | X*X' ±2°      | DRAWN   | LX_HOU   |                                            | 23.09.08          |                                 |            |
|      |                 |          |         |                    |            |               |         |          |                                            |                   | REV: AO                         | SHEET: 1/3 |



WanLian Technology Co., Ltd


|         |            |
|---------|------------|
| REV: A0 | SHEET: 1/3 |
|---------|------------|



The product using material and processing must conform to the "WI-PZ-001"HSF technical standard control requirements

RoHS+HF

|      |                 |          |                                                                                     |                    |           |               |         |          |                                            |         |                                                                                                                      |            |
|------|-----------------|----------|-------------------------------------------------------------------------------------|--------------------|-----------|---------------|---------|----------|--------------------------------------------|---------|----------------------------------------------------------------------------------------------------------------------|------------|
| REV. | REVISION RECORD | DATE     |  | GENERAL TOLERANCES |           | SCALE:<br>1:1 | NAME    | DATE     | PART.NO:                                   | DWG.NO: | <br>WanLian Technology Co., Ltd |            |
| A0   | NEW RELEASE     | 23.09.08 |                                                                                     | LINEAR             | ANGLES    | APPROVED      | Wang_jr | 23.09.08 | C4201W91-2XX1XX3                           | ENDE05  |                                                                                                                      |            |
|      |                 |          |                                                                                     | 0.0±0.35           | X*REF±6°  | DESIGNER      | Han_Gao | 23.09.08 | TITLE:<br>Pitch 4.2mm 双排 90° DIP Wafer 实心针 |         |                                                                                                                      |            |
|      |                 |          |                                                                                     | UNIT:mm            | 0.00±0.25 | X*±3°         | DRAWN   | LX_HOU   |                                            |         |                                                                                                                      |            |
|      |                 |          | SIZE: A4                                                                            | 0.000±0.10         | X*X' ±2°  |               |         |          |                                            |         | REV: A0                                                                                                              | SHEET: 2/3 |



注意事项:  
1.盒装产品四周需用胶纸固定;袋装产品封口前需放1-2包干燥剂于内;卷装产品前后需留10-20PCS产品空格。  
2.14盒一捆,共1捆用PE膜缠绕,产品不可少数、多数,方向须一致。  
3.内外包装均需有数量标签,尾数包装需用不影响品质之物品填充并注明尾数。  
4.纸箱规格: 45.0\*28.5\*22.5CM

|             |          |       |
|-------------|----------|-------|
| 1120        | 80       | 2X12P |
| 1120        | 80       | 2X11P |
| 1260        | 90       | 2X10P |
| 1400        | 100      | 2X9P  |
| 1540        | 110      | 2X8P  |
| 1820        | 130      | 2X7P  |
| 2100        | 150      | 2X6P  |
| 2520        | 180      | 2X5P  |
| 3080        | 220      | 2X4P  |
| 4060        | 290      | 2X3P  |
|             |          | 2X2P  |
| PCS/Cartion | PCS/Tray | P0S   |

|      |                 |          |                                                                                     |                    |           |               |         |          |                                                |                   |                                                                                                                      |            |
|------|-----------------|----------|-------------------------------------------------------------------------------------|--------------------|-----------|---------------|---------|----------|------------------------------------------------|-------------------|----------------------------------------------------------------------------------------------------------------------|------------|
| REV. | REVISION RECORD | DATE     |  | GENERAL TOLERANCES |           | SCALE:<br>1:1 | NAME    | DATE     | PART.NO:<br>C4201W91-2XX1XX3                   | DWG.NO:<br>ENDE05 | <br>WanLian Technology Co., Ltd |            |
| A0   | NEW RELEASE     | 23.09.08 |                                                                                     | LINEAR             | ANGLES    | APPROVED      | Wang_jr | 23.09.08 |                                                |                   |                                                                                                                      |            |
|      |                 |          |                                                                                     | 0.0±0.35           | X°REF±6°  | DESIGNER      | Han_Gao | 23.09.08 | TITLE:<br>Pitch 4.2mm 双排 90° DIP Wafer 实心针 包装图 |                   |                                                                                                                      |            |
|      |                 |          |                                                                                     | UNIT:mm            | 0.00±0.25 | X°±3°         | DRAWN   | LX_HOU   |                                                | 23.09.08          |                                                                                                                      |            |
|      |                 |          | SIZE: A4                                                                            | 0.000±0.10         | X°X' ±2°  |               |         |          |                                                |                   | REV: A0                                                                                                              | SHEET: 3/3 |